

AUD \$ 2019 RETAIL PRICE LIST





BULGARI HOTEL MILAN, ITALY



INTERCONTINENTAL HOTEL DAVOS, SWITZERLAND





MANDARIN ORIENTAL HOTEL PARIS, FRANCE

HOTEL MISSONI KUWAIT

FOUR SEASONS HOTEL ABU DHABI, UAE



HOTEL VICTOR MIAMI BEACH, FL, USA

TREND YOUR POOL

The TREND Group was born by the hand of Pino Bisazza who, together with several qualified colleagues, created in the year **2000** an enterprise that blends the **artistic Italian tradition** with a **respect for nature**, and the **most innovative technologies** – a company that now boasts of hundreds of employees all around the world.

What makes TREND the excellent, devoted company it is today is its commitment to detail in the creation of aesthetical environments, built with the best technology and an eco-friendly, innovative system.

TREND glass mosaic dialogues with the brightness of the sky and the water. A classic covering, elegant and discreet, integrated in the surrounding environment in landscape swimming pools, or emphasized, playful and scenic in designer swimming pools, the TREND mosaic guarantees quality, long life, resistance, easy maintenance, making a swimming pool really valuable, a real investment.

TREND has demonstrated a unique ability to synthesize the essential principles of its Italian tradition with the dynamic creativity of today's most celebrated designers, architects and artists.



Crown Towers, Western, Australia




Costa Navarino Resort, Messinia, Greece

TREND OTHER MAJOR PROJECTS AROUND THE WORLD:

St. Peter's Basilica, Vatican St. Mark's Basilica, Venice, Italy Westminster Cathedral, London, UK Sagrada Familia, Barcelona, Spain Basilica of the National Shrine of the Immaculate Conception in DC, USA Nine Columns in La Biennale, Venice, Italy Clock Royal Tower, Makkah, UAE "Mosaic Maddox", London, UK Galleria Vittorio Emmanuele II, Milan Trocadero, Paris, France L'Opera and Le Sacre-Coeur, Paris, France Doha Theater, Oatar The Detroit Institute of Art, USA Bund 18, Shanghai, China Moschea, Abu Dhabi, UAE Lennox Head Cultural Centre, Australia Domus Orsoni Hotel, Venice, Italy Grande Real Villa Italia Hotel, Cascais, Portugal Urban Hotel, Madrid, Spain Les Lodges Sainte-Victoire Hôtel, Aix-En-Provence, France Four Seasons Hotel Abu Dhabi, UAE Hotel Park Hyatt Vendôme, Paris, France

TREND PLUS



TREND PLUS pre-mounted support 316 x 316 mm sheets (10 sheets/sqm) are the ultimate solution for fast and easy installation.

TREND PLUS pre-mounted support represents the best solution for the installation of the mosaic in any environment, including where there's direct contact with water as in steam baths and swimming pools. TREND PLUS pre-mounted support meets CSIRO ISO 13007-1:2004, the minimum requirements for tensile strength after water immersion. The system deemed to meet the minimum requirements for tensile strength for wet adhesion.

TREND PLUS pre-mounted support is an innovative technology with polyurethane reactive (PUR) pre-mounted rear support, solvent free and non-flammable for glass mosaic sheets. TREND PLUS pre-mounted support: 90+ percent of bonding surface available as recommended by the Australian Standards; TREND ensures that THE FILLING OF THE GROUT VOID IS 100% UNOBSTRUCTED by our Polyurethane PLUS pre-mounted support. The PLUS pre-mounted support is 100% UV stable Polyurethane and does not expand or contract in submerged situations.

TREND PLUS pre-mounted support guarantees maximum flexibility of the sheets while ensuring stable and secure support during installation without detaching of the tiles. It can be used with any bonding and is the best solution for the installation of the mosaic in any environment: outdoor, indoor, swimming pools, etc.

* Use a 4 x 4 mm notched trowel for installation

All ranges of TREND mosaics are also available in film face support for an absolute 100% of bonding surfaces back and grout sides of the tiles.

ITALIAN DESIGN • MODERN
ANGULAR & GEOMETRIC • FLAWLESS EDGES
LONG STRAIGHT LINES • CLEAR-CUT
SQUARE • ELEGANT

TREND'S INNOVATIVE GROUT LOCK SYSTEM:

The DIAMOND PROFILE of the tile is designed to trap the filling grout; an ingenious design intended as a defienitive solution to the 'popping' grout issue of sub-standard basic straight up side pro le tiles.

TREND PLUS pre-mounted support is CSIRO ISO 13007-1:2004 certified: the system deemed to meet the minimum requirements for tensile strength for wet adhesion.

TREND PLUS pre-mounted support is the FIRST mosaic with back support DIN EN 1348-2007 CERTIFIED by GERMAN SAURO FLIESNER - VEREINIGUNG E. V. for use in swimming pools.

TREND GUARANTEED

TREND Group is one of few organisations of the industry that wholly owns, manufactures and distributes its goods directly to 50+ countries and counting. This ownership guarantees the highest level of product and service quality throughout three production facilities, five assembly units and six offices located across four continents.

CERTIFIED POOL SAFE

100% TREND Owned 100% TREND Manufactured 100% TREND Distributed

TREND Bonn



PLUS
















VITREO 2x2cm

120 RETAIL: \$80/M2 + GST






121 RETAIL: \$80/M2 + GST






122 RETAIL: \$80/M2 + GST





123 RETAIL \$80/M2 + GST





RETAIL: \$90/M2 + GST



RETAIL: \$80/M2 + GST



RETAIL: \$80/M2 + GST




RETAIL: \$80/M2 + GST




VITREO & SHINING 2x2cm

208 RETAIL: \$200/M2 + GST





BIARRITZ RETAIL: \$200/M2 + GST





BRILLANTE 2x2cm

RETAIL: \$200/M2 + GST






RETAIL: \$200/M2 + GST






RETAIL: \$200/M2 + GST






RETAIL: \$200/M2 + GST





TROPICAL SUN RETAIL: \$80/M2 + GST



120 (33%) 121 (33%) 122 (34%)

AZZURRO MEDITERRANEO RETAIL: \$110/M2 + GST



120 (30%) 121 (30%) 722 (20%) 841 (20%)

MARE NOSTRUM RETAIL: \$110/M2 + GST




123 (70%) 843 (30%)

WAHOO RETAIL: \$200/M2 + GST



241 (35%) 243 (45%) 841 (10%) 843 (10%)

RELAXATION RETAIL: \$200/M2 + GST 232 (25%) 247 (25%) 249 (25%) 251 (25%) **SPLASH** RETAIL: \$90/M2 + GST 140 (33%) 141 (33%) 142 (33%) **AQUA TROPICALE** RETAIL: \$110/M2 + GST






BLUE MOUNTAINS RETAIL: \$200/M2 + GST



WAVY R ETAIL:\$200/M2+GST

TP133 (10%)
TP146 (40%)
130 (50%)



BLUE SHELL RETAIL: \$200/M2 + GST



TP 136 RETAIL \$200/M2 + GST



722 (80%) **843** (20%) **843**

YELLOW 24K GOLD RETAIL: \$40/15 TILE ROW + GST





YELLOW 24K GOLD RETAIL: \$3.50/PER TILE + GST





WHITE 24K GOLD RETAIL: \$40/15 TILE ROW + GST


On FILMFACE, available on PLUS upon request



WHITE 24K GOLD RETAIL: \$3.50/PER TILE + GST













RECTANGULAR 2x4cm

RECT 222 RETAIL: \$200/M2 + GST




RECT 236 RETAIL: \$200/M2 + GST



RECT 242 RETAIL: \$200/M2 + GST





RECT 270 RETAIL: \$200/M2 + GST



RECT 239 RETAIL: \$200/M2 + GST






MOSAIC 1 x 1 cm


160 RETAIL: \$90/M2 + GST



GYPSUM RETAIL: \$185/M2 + GST



153 RETAIL: \$90/M2 + GST




MOKAITE RETAIL: \$200/M2 + GST

280

024

218





HEMATITE RETAIL: \$220/M2 + GST





MOSAIC 4 x 4 cm

245 RETAIL: \$220/M2 + GST



TP 133 RETAIL: \$220/M2 + GST



TP 136 RETAIL: \$220/M2 + GST



242 RETAIL: \$220/M2 + GST



239 RETAIL: \$220/M2 + GST





MOSAIC 4 x 4 cm

RETAIL: \$220/M2 + GST



RETAIL: \$220/M2 + GST



RETAIL: \$220/M2 + GST




RETAIL: \$220/M2 + GST



RETAIL: \$220/M2 + GST



RETAIL: \$220/M2 + GST



CUSTOMIZED DESIGN

At TREND we offer to the architectural/ landscape market an exclusive service to design project pools and artwork for public and private spaces.


and private spaces.

Anything can be created with a commitment to detail and high end workmanship.

Contact us for further information.









CAD CUSTOM DESIGN










SHADING BLENDS














EXAMPLE OF A SHADING BLEND IN THE STEPS OF A SWIMMING POOL





TECHNICAL INFORMATION

VITREO | BRILLANTE | SHINING | FEEL (2 x 2 cm | 1 x 1 cm)

WEIGHT AND DIMENSIONS

SIZE	2 x 2 cm 3/4" x 3/4" 1 x 1 cm 3/8" x 3/8"
THICKNESS	~ 4 mm 5/32"
SHEET SIZE	31,6 x 31,6 cm 12 7/16" x 12 7/16"
JOINT	~ 1 mm 2/48"
WEIGHT	~7 kg/m² 1.6 lbs/SQF
QUANTITY PER CARTON	2 m² 21.528 SQF
CARTONS PER PALLET	72
PALLET WEIGHT	~ 1030 Kg ~ 2266 lb

TEST ASTM

TEST PERFORMED AND REQUIREMENTS CONCLUSIONS	
Range of thickness (ASTM C499) passes	
Facial dimensions (ASTM C499) passes	
Wedging (ASTM C502) passes	
Water absorption (ASTM C373) passes	
Thermal shocks (ASTM C484) passes	
Bond Strenght (ASTM C482) passes	

TEST DATA



UNI EN ISO 10545 (13)
RESISTANCE TO CHEMICAL AGENTS
RESISTANT



ASTM C 484 UNI EN ISO 10545 (9) THERMAL SHOCKS RESISTANCE RESISTANT



UNI EN ISO 10545 (3) WATER ABSORPTION NONE



DIN 51094 COLOURS RESISTANCE TO FADING **RESISTANT**



UNI EN ISO 10545 (12) FROST RESISTANCE **RESISTANT**



DIN 51097 SLIP RESISTANCE ON BARE FEET CLASS C



DIN 51130 SLIP RESISTANCE WITH SHOES **R9**

VITREO GRIP | SPECIAL PROCESSING | 2 x 2 cm

COLOURS: 101 | 104 | 105 | 107 | 109 | 110 | 111 | 113 | 115 | 116 | 117 | 119 | 120 | 121 | 122 | 123 | 130 | 131 | 132 | 135 | 136 | 137 | 138 | 140 | 142 | 150 | 152 | 153 | 154 | 155 | 160 | 161 | 163 | 165 | 166 | 167 | 169 | 170 | 171 | 172 | 173 | 180 | 181 | 182 | 183



DIN 51097 SLIP RESISTANCE ON BARE FEET CLASS C



DIN 51130 SLIP RESISTANCE WITH SHOES **R11**

HEXAGONAL

WEIGHT AND DIMENSIONS

SIZE	3,5 x 3 cm 1 3/16" x 1 3/8"
THICKNESS	~ 5 mm 3/16"
SHEET SIZE	32,6 x 35,0 cm 12 27/32" x 13 25/32"
MODULAR SIZE	28,4 x 29,6 cm 11 3/16" x 11 21/32"
JOINT	~ 2 mm 2/48"
WEIGHT	~9 kg/m² 1.84 lbs/SQF
QUANTITY PER CARTON	1,411 m² 15.177 SQF
CARTONS PER PALLET	72
PALLET WEIGHT	~ 1000 Kg ~ 2204.62 lb

TEST ASTM

TEST PERFORMED AND REQUIREMENTS	CONCLUSIONS
Range of thickness (ASTM C499)	passes
Facial dimensions (ASTM C499)	passes
Wedging (ASTM C502)	passes
Water absorption (ASTM C373)	passes
Thermal shocks (ASTM C484)	passes
Bond Strenght (ASTM C482)	passes

TEST DATA



UNI EN ISO 10545 (13) RESISTANCE TO CHEMICAL AGENTS **RESISTANT**



ASTM C 484 UNI EN ISO 10545 (9) THERMAL SHOCKS RESISTANCE **RESISTANT**



UNI EN ISO 10545 (3) WATER ABSORPTION NONE



DIN 51094 COLOURS RESISTANCE TO FADING RESISTANT



UNI EN ISO 10545 (12) FROST RESISTANCE **RESISTANT**



DIN 51097 SLIP RESISTANCE ON BARE FEET CLASS B



DIN 51130 SLIP RESISTANCE WITH SHOES **R9**

RECTANGULAR

WEIGHT AND DIMENSIONS

SIZE	2 x 4 cm 3/4" x 1 1/2"
THICKNESS	~ 4 mm 5/32"
SHEET SIZE	29,3 x 29,5 cm 11 1/2" x 11 5/8"
JOINT	~ 1 mm 2/48"
WEIGHT	~9 kg/m² 1.84 lbs/SQF
QUANTITY PER CARTON	20 sheets
CARTONS PER PALLET	72
PALLET WEIGHT	867 kg

TEST ASTM

TEST PERFORMED AND REQUIREMENTS	CONCLUSIONS
Range of thickness (ASTM C499)	passes
Facial dimensions (ASTM C499)	passes
Wedging (ASTM C502)	passes
Water absorption (ASTM C373)	passes
Thermal shocks (ASTM C484)	passes
Bond Strenght (ASTM C482)	passes

TEST DATA



UNI EN ISO 10545 (13) RESISTANCE TO CHEMICAL AGENTS **RESISTANT**



ASTM C 484 UNI EN ISO 10545 (9) THERMAL SHOCKS RESISTANCE RESISTANT



UNI EN ISO 10545 (3) WATER ABSORPTION **NONE**



DIN 51094 COLOURS RESISTANCE TO FADING **RESISTANT**



UNI EN ISO 10545 (12) FROST RESISTANCE RESISTANT



DIN 51097 SLIP RESISTANCE ON BARE FEET CLASS B



DIN 51130 SLIP RESISTANCE WITH SHOES **R9**

4 x 4 cm

WEIGHT AND DIMENSIONS

SIZE	4 x 4 cm 1 1/2" x 1 1/2"
THICKNESS	~ 4 mm 5/32"
SHEET SIZE	29,3 x 29,3 cm
JOINT	~ 2 mm 2/48"
WEIGHT	~6 kg/m²
QUANTITY PER CARTON	1.716 sqm
CARTONS PER PALLET	72
PALLET WEIGHT	867 kg

TEST ASTM

TEST PERFORMED AND REQUIREMENTS	CONCLUSIONS
Range of thickness (ASTM C499)	passes
Facial dimensions (ASTM C499)	passes
Wedging (ASTM C502)	passes
Water absorption (ASTM C373)	passes
Thermal shocks (ASTM C484)	passes
Bond Strenght (ASTM C482)	passes

TEST DATA



UNI EN ISO 10545 (13) RESISTANCE TO CHEMICAL AGENTS **RESISTANT**



ASTM C 484 UNI EN ISO 10545 (9) THERMAL SHOCKS RESISTANCE RESISTANT



UNI EN ISO 10545 (3) WATER ABSORPTION NONE



DIN 51094 COLOURS RESISTANCE TO FADING **RESISTANT**



UNI EN ISO 10545 (12) FROST RESISTANCE RESISTANT



DIN 51097 SLIP RESISTANCE ON BARE FEET CLASS B



DIN 51130 SLIP RESISTANCE WITH SHOES **R9**

SUGGESTED ADHESIVES

A IMPORTANT NOTICE: The substrates must be perfectly flat, smooth, ripe, firm, smooth and white

WALLS AND FLOORING - INTERNAL AND EXTERNAL

SUBSTRATES	MANUFACTURER	ADHESIVE	CLASS	USE
Cement screeds, concrete, screeds, heaters, old ceramics, gypsum-based plaster*, cement-based plaster, plasterboard*, fibre cement panels, lightened concrete panels, cement finished foam core panels	LITOKOL LATICRETE MAPEI	LITOPLUS K55 + LATEXKOL 254 PLATINUM ADESILEX P10 + ISOLASTIC	C2TES1 C2TES1 C2TES1	2,5 kg/mq
Wood	LITOKOL LATICRETE MAPEI	LITOELASTIC LATALASTIK KERALASTIC T	R2T R2T R2T	2,0 kg/mq
Metal	LITOKOL LATICRETE LATICRETE MAPEI	LITOELASTIC LATALASTIK LATAPOXY 300 KERALASTIC T	R2T R2T R2T R2T	2,0 kg/mq

^{*} After the application of primer

POOL AND SPA

Cement plasters and levelling, concrete, cement screeds, cement waterproofing, cement finished foam core panels	LITOKOL LATICRETE MAPEI	LITOPLUS K55 + LATEXKOL 254 PLATINUM ADESILEX P10 + ISOLASTIC	C2TES1 C2TES1 C2TES1	2,5 kg/mq
Metal (Always consult the technical department)	LITOKOL LATICRETE LATICRETE MAPEI	LITOELASTIC LATALASTIK LATAPOXY 300 KERALASTIC T	R2T R2T R2T R2T	2,0 kg/mq

RECOMMENDED GROUTING & DETERGENTS

IMPORTANT NOTICE: the joints must be of a thickness of at least 3 mm and a width of at least 1 mm Usage temperature between +12° and +30°c

WALLS AND FLOORING - INTERNAL AND EXTERNAL

MANUFACTURER/ADHESIVE	TILE FORMAT	USE	DETERGENT	USE
TREND MY KIT LITOKOL STARLIKE KERAKOLL FUGALITE (Only for internal use) MAPEI KERAPOXY DESIGN	1 x 1 cm 2 x 2 cm HEXAGONAL	1,50 kg/mq 1,20 kg/mq 1,00 kg/mq	LITONET/LITONET GEL LITONET/LITONET GEL FUGASOAP EPOXY CLEANER	10-15 mq/Lt

POOL AND SPA

TREND MY KIT LITOKOL STARLIKE KERAKOLL FUGALITE (Only for internal use) MAPEI KERAPOXY DESIGN	1x1cm 2x2cm HEXAGONAL	1,50 kg/mq 1,20 kg/mq 1,00 kg/mq	LITONET/LITONET GEL LITONET/LITONET GEL FUGASOAP EPOXY CLEANER	10-15 mq/Lt
--	-----------------------------	--	---	-------------

trend-group.com

ITALY
Piazzale Fraccon 8
36100 Vicenza | Italy
phone +39 0444 338 711
info-it@trend-group.com

AUSTRALIA Unit 16/167 Prospect Hwy Seven Hills, 2147 Sydney NSW Australia phone +61 02 8817 5500 info-au@trend-group.com USA 1565 NW 36th Street Miami, FL 33142 USA phone +1 863 655 0164 toll free +1 866 508 7363 info-us@trend-group.com

BRAZIL
Calçada das Violetas, 225
Alphaville Comercial,
Barueri | São Paulo,
06453-003 | Brazil
phone: +55 11 2424 6137
info-br@trend-group.com

UK
Unit 28 Decimus Park,
Kingstanding Way | Tunbridge
Wells | Kent TN2 3GP | UK
call 08700 427 450
phone +44 01 892 509 690
info-gb@trend-group.com

UNITED ARAB EMIRATES 402, Building 1-B Dubai Design District -D3, UAE P.O. Box 309127 phone +971 44 30 9424 info-ae@trend-group.com

